



**LOW MAINTENANCE  
BATTEN CLADDING  
WITH GREAT VISUAL  
AESTHETICS**



**PRODUCT BROCHURE**



**Bison composite batten cladding offers the low maintenance, high quality and the robustness you'd expect from a composite building material**

## KEY FEATURES OF COMPOSITE BATTEN CLADDING



### VISUAL AESTHETICS

Our **wood plastic composite cladding planks** give the appearance of timber or Cedar slatted cladding with a lifelike woodgrain timber finish available in two colours: Ash Grey or Oak. Combined with colour matched accessories Bison Composite Batten Cladding can be installed Vertically or horizontally.

### EASY TO INSTALL

With minimal trims and planks sized ideally for vertical cladding, Bison Batten Cladding is a simple and easy to use system with minimal need for cutting, offering the elegant design and easy installation of Cedar or Siberian Larch cladding with all the benefits of a composite material.

### HARD-WEARING

Bison's hard-wearing capping ensures the material stands up to all weather conditions, is UV stable, scratch resistant and non-porous. Being a composite material ensures it is resistant to rot, mould and insects.

### MULTI PURPOSE USES

Bison Cladding can be utilised for a wide variety of projects including but not limited to cladding, slatted fencing, internal feature walls or even planters.

### LOW MAINTENANCE

Low maintenance product that will not need staining or painting. Simply hose or jet wash clean when required.

### ENVIRONMENTALLY FRIENDLY

Manufactured from 82% recycled material (wood fibre and HDPE plastic). Remaining ingredients are additives for bonding, UV stabilisers and colour pigments.

### BENEFITS AND FEATURES INCLUDE



LOW MAINTENANCE



LIGHT WEIGHT



UV STABILITY



SCRATCH RESISTANT



MOULD RESISTANT



NON POROUS



95% RECYCLABLE



TIMBER EFFECT

## 2 COLOUR FINISHES

Available in 2 colours



ASH GREY



OAK



## BISON WPC BATTEN CLADDING PLANK

**BT1PLANK-\*\***  
Main Cladding Plank Material

### DETAILS

**COLOUR** - Oak or Ash Grey

**LENGTH** - 2700mm

**WIDTH** - 219mm

**COVER WIDTH** - 200mm

**INDIVIDUAL BATTEN WIDTH** - 36.5mm

**GAPS BETWEEN BATTENS** - 13.5mm

**DEPTH** - 26mm

**COVERAGE** - 0.54m<sup>2</sup> per board (or 1.85 boards per sqm without wastage)

**FIRE RATING** - B f1-S1

**WEIGHT** - 8Kg per board



OAK



ASH GREY

## BISON BATTEN CLADDING L CORNER


**BT1CORNER-\*\*** For external corners of building and window/door reveals

### DETAILS

**COLOUR** - Oak or Ash Grey

**LENGTH** - 2700mm

**LEGS DIMS** - Legs Dims - 56mm x 51mm



## BISON BATTEN CLADDING STEEL DRIP TRIM

**BT1DRIP-\*\***  
For window or door heads

### DETAILS

**COLOUR** - Brown or Grey

**LENGTH** - 2000mm


**HIDDEN LEG (behind cladding)** - 20mm

**KICK OUT LEG** - 30mm

**FACE LEG** - 15mm

**5MM WELTED SAFETY DRIP EDGE**

**MATERIAL THICKNESS** - 1mm



Images not to scale

**SWATCHES  
AVAILABLE**

Can't decide on a colour?  
Order a sample box via our website  
at [www.bisonsystems.co.uk](http://www.bisonsystems.co.uk)



## BISON BATTEN CLADDING EDGE BOARD

**BT1EB-\*\* For deeper reveals and other finishing details**

### DETAILS

**COLOUR** - Oak or Ash Grey

**LENGTH** - 2500mm

**WIDTH** - 140mm

**THICKNESS** - 12mm

ASH GREY



OAK

## BISON BATTEN CLADDING COLOUR SCREW

**BT1CSREW-\*\* For any visible fixings including corners**

### DETAILS

**COLOUR** - Brown or Grey

**QUANTITY** - 100 per bag

**LENGTH** - 35mm

**DIAMETER** - Diameter - 4mm

**HEAD** - Countersunk Pozi head

**MATERIAL** - Stainless Steel



Images not to scale

## BISON BATTEN CLADDING FIXING SCREW

**BT1CSREW-\*\* Main fixing for cladding, hidden by the lap of the plank**

### DETAILS

**COLOUR** - Brown or Grey

**QUANTITY** - 100 per bag

**LENGTH** - 35mm

**DIAMETER** - Diameter - 4mm

**HEAD** - Countersunk Pozi head

**MATERIAL** - Stainless Steel



CS3309V1

## FOR MORE INFORMATION

For more information on Batten Cladding or our other composite products  
visit [www.bisonsystems.co.uk](http://www.bisonsystems.co.uk)  
Tel: 01342 337 160 email: [info@bisonsystems.co.uk](mailto:info@bisonsystems.co.uk)



The mark of  
responsible forestry

